

Use the following data for the questions below: 2, 4, 5, 8, 20, 25, 21, 8, 5

---

1. Draw a box plot.

---

2. Are there any outliers? If so, what points?

---

3. Find the IQR and range.

---

Use the following data for the questions below: 12, 13, 29, 9, 17, 15, 13

---

4. Draw a box plot.

---

5. Are there any outliers? If so, what points?

---

6. Find the IQR and range.

---

Use the following data for the questions below: 25, 30, 100, 85, 20, 75, 74, 86

---

7. Draw a box plot.

---

8. Are there any outliers? If so, what points?

---

9. Find the IQR and range.

---

The average hours of sleep a student athlete gets is 7 hours. The number of hours a student athlete receives is uniformly distributed and has an interval of 5 to 9. The Georgia Athletic Association states athletes need to receive at least 8 hours of sleep.

---

10. Create the uniform distribution below.

---


11. What is the proportion of students who are getting enough sleep?

---

The average score on a science test is 76, with a standard deviation of 3 and a normal distribution. Using that information, answer the questions below.

---

12. Create the normal distribution below.



---

13. What percent of test takers scored between a 73 and an 85?

---

14. Alice scored a 70 on the test. What percent of test takers did she outperform?

15. The manufacturing specifications for nails produced at a machine shop require a minimum length of 24.8 centimeters and a maximum length of 25.2 centimeters. The operator of the machine shop adjusts the nail-making machine so that the machine produces nails with a mean length of 25.0 centimeters. What standard deviation is required for 95% of the nails to meet manufacturing specifications? Assume the lengths of nails produced by the machine are normally distributed.

---

16. In the 2012 Olympics, the mean finishing time for the men's 100-meter dash finals was 10.10 seconds and the standard deviation was 0.72 second. Usain Bolt won the gold medal, with a time of 9.63 seconds. Assume a normal distribution. What was Usain Bolt's z-score?

---

17. Lindsay earned a 98 on her final exam for biology. The mean score was 78.2 and the standard deviation was 8.4. What percent of students did Lindsay out perform?

---

18. After the first round of fitness training, the director of a police academy plans to eliminate the bottom 20% of candidates based on individual fitness scores. Fitness scores were normally distributed, with a mean of 72.0 and a standard deviation of 18.5. What fitness score does a candidate need to stay in the academy?

---

19. If a population of human body temperatures is normally distributed with a mean of 98.2 °F and a standard deviation of 0.7 °F, estimate the percent of temperatures between 98.0 °F and 99.0 °F.