

Graphing Quadratics Review

Name: \_\_\_\_\_ Block: \_\_\_\_\_

1.  $f(x) = (x - 3)(x + 1)$

Identify the zeros/roots: \_\_\_\_\_ and \_\_\_\_\_


Does it have a minimum or maximum? \_\_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



---

2.  $f(x) = x^2 - 4x - 5$

Identify the zeros/roots: \_\_\_\_\_ and \_\_\_\_\_


Does it have a minimum or maximum? \_\_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



---

3.  $f(x) = (x - 2)^2 - 4$

Identify the zeros/roots: \_\_\_\_\_ and \_\_\_\_\_


Does it have a minimum or maximum? \_\_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_


Domain: \_\_\_\_\_ Range: \_\_\_\_\_



4. A bottlenose dolphin jumps out of the water. The path the dolphin travels can be modeled by  $h = -0.2d^2 + 2d$ , where  $h$  represents the height of the dolphin and  $d$  represents horizontal distance.

a. What is the maximum height the dolphin reaches?

b. How far did the dolphin jump?



5.  $f(x) = (x + 2)(x - 4)$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



6.  $f(x) = (x + 7)(x + 1)$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



7.  $f(x) = x^2 - 6x + 5$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



---

8.  $f(x) = -x^2 + 9$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



---

9.  $f(x) = (x - 6)^2 - 9$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



10.  $f(x) = -(x + 3)^2 + 1$

Identify the zeros/roots: \_\_\_\_ and \_\_\_\_


Does it have a minimum or maximum? \_\_\_\_

Axis of symmetry: \_\_\_\_\_

Vertex: \_\_\_\_\_

y-intercept: \_\_\_\_\_

Domain: \_\_\_\_\_ Range: \_\_\_\_\_



---

11. Daisy tosses a coin off a bridge into a stream below. The distance (in feet) the coin is above the water is modeled by the equation  $f(x) = -\frac{1}{5}x(x - 13)$ . Where x represents time in seconds.

- a. What is the greatest height of the coin?
  
  
  
  
  
  
  
  
  
  
- b. How much time will it take for the coin to hit the water?

---

12. When a gray kangaroo jumps, its path through the air can be modeled by  $f(x) = -3x^2 + 6x$  where x is the kangaroo's horizontal distance traveled (in feet) and y is its corresponding height (in feet).

- a. How high can a gray kangaroo jump?
  
  
  
  
  
  
  
  
  
  
- b. How far can it jump?

---

13. The height (in feet) of an object shot from a cannon can be modeled by  $h(t) = -(t - 4)^2 + 16$ , where t is the time (in seconds) after the cannon is fired.

- a. What is the maximum altitude that the object reaches?
  
  
  
  
  
  
  
  
  
  
- b. How much time does it take for the object to reach the ground?